

Contact Manufacturer  
ZHENGZHOU HAIXU ABRASIVES CO.,LTD  
<http://redgarnetsand.com>  
Email:sales@zshaixu.cn

## TECHNICAL DATA SHEET

---

PRODUCT: RED GARNET SAND

SIZE: 800mesh

Red garnet sand,selected from high quality almandine, with high hardness, high density, good toughness, sharp edges, is a high-grade, pure natural non-metal abrasive for blast cleaning and water-jet cutting

<b>AVERAGE CHEMICAL COMPOSITION(TYPICAL)</b>		<b>MINERAL COMPOSITION(TYPICAL)</b>	
SiO <sub>2</sub>	28-34%	Almandine Ganet	92-96%
Al <sub>2</sub> O <sub>3</sub>	17-21%	Ilmenite	1.0%
FeO+Fe <sub>2</sub> O <sub>3</sub>	25-31%	Omphacite	1.5%
MnO	0-1%	Rutile	0.5%
CaO	5-20%	Hornblende	0-0.5%
MgO	10-20%	Free Silica	0-0.1%
Na <sub>2</sub> O	0-1%		
TiO <sub>2</sub>	0-1.5%		

<b>PHYSICAL CHARACTRTISTICS(TYPICAL)</b>	
Bulk Density	1.9-2.1g/cm <sup>3</sup>
Specific Gravity	3.8-4.1g/cm <sup>3</sup>
Mohs Hardness	7.5-8.0
Melting Point	1300°C
Grain Shape	Sub Angular
Total Chlorides	<25PPM
Acid Solubility(HCL)	<1%
Conductivity	<83us/cm

### **PACKAGING**

1 Ton Bulk Jumbo Bag  
40 X 25 Kg PP bags packed in to 1 Ton Bag

### **PARTICLE SIZE DISTRIBUTION**

D0	38um max
D3	31um max
D50	14.0±1.0um
D94	9.0um min

### **MAIN APPLICATIONS**

- 1.Water filtration media
  - 2.Sand blasting
  - 3.Water jet cutting abrasive
- 

The shown values are typical characteristics of the material and shall not be used to prepare specifications. They are submitted to tolerances of the production and meet the present standard of technique. We reserve our right for changes within the scope of technical progress or internal improvement..